SYMBOLOGY CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM											
CHANGE PROPOSAL NUMBER MIL00-14B											
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION								
PM FATDS	ARMY 1 September 2000 August 23, 2001										
	CHANGE PROPOSAL TITLE										
ADD NEW SYMBOL, AIRSPACE COORDINATION AREA (ACA), RECTANGULAR											
SUGGESTED CHANGE											

The Army has a requirement to add a new symbol to MIL-STD-2525B.

- 1. The purpose of the rectangular Airspace Coordination Area symbol is to graphically display to commanders in the Common Operational Picture (COP)/Common Tactical Picture (CTP) areas a block of airspace in which friendly aircraft are reasonably safe from friendly surface fires.
- 2. Recommend adding to hierarchy item 2.X.4, Fire Support, under the "Areas", "Command & Control Areas" hierarchy, 2.X.4.3.2, figure B-17, and table B-IV.

OVERVIEW

Currently, the standard does not a contain symbol depicting rectangular Airspace Coordination Areas. In general, the rectangular Airspace Coordination Area graphic depicts a three-dimensional block of airspace in a target area, established by the appropriate ground commander, in which friendly aircraft are reasonably safe from friendly surface fires. Incorporation into MIL STD 2525B, which will be used in JMTK and GSD will allow the symbol to be transmitted, received, and displayed by all battlefield systems. The rectangular Airspace Coordination Area is a required symbol in the COP/CTP to be shared across the battlefield. The development of the COP/CTP is required of all ABCS component systems. Fire Support systems are the producer of the rectangular Airspace Coordination Area for the COP/CTP. Fire Support systems will retain this capability for fielding throughout the Army and USMC.

OPERATIONAL DESCRIPTION

The purpose of the rectangular Airspace Coordination Area symbol is to graphically display a three-dimensional block of airspace in a target area, established by the appropriate ground commander, in which friendly aircraft are reasonably safe from friendly surface fires. This allows the commander to adjust forces as necessary to cope with the dead space. The rectangular Airspace Coordination Areas are unique to specific weapons and units. Two (2) point locations and a width are required to graphically display a rectangular Airspace Coordination Area. The minimum information required to interoperate with another system is defined below.

IMPLEMENTATION

Description: Fire Support, Areas, Command & Control Areas, Airspace Coordination Area, Rectangular

Parameters:

- 1. Anchor Points. This graphic requires two anchor points and a width, defined in meters, to define the boundary of the area. Points 1 and 2 will be located in the center of two opposing sides of the rectangle.
- 2. Size/Shape. Size: As determined by the anchor points. The anchor points determine the length of the rectangle. The width, defined in meters, will determine the width of the rectangle. Shape: Rectangle. The information fields should be moveable and scaleable.
- 3. Orientation. As determined by the anchor points.

Fixed/Dynamic: Dynamic

Hierarchy: 2.X.4.3.2.2.2

S		URATION MANAGEMENT OPOSAL FORM	•							
CHANGE PROPOSAL NUMBER MIL00-14B										
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION							
PM FATDS	ARMY	1 September 2000	August 23, 2001							
CHANGE PROPOSAL TITLE										
ADD NEW SYMBO	OL, AIRSPACE COOR	DINATION AREA (ACA), R	ECTANGULAR							
	 									
ACA T MIN ALT: [MAX ALT: PT. 1 Grids H2 EFF: W W1	ਜ਼ਾ ,/ ∄	ACA 53ID (M) MIN ALT: 500 MAX ALT: 3000 Grids NK2313 to NK2320 to NK302 EFF: 281400ZAPI 281530ZAPI	22 R-							

JIEO ANALYSIS

OVERVIEW:

POTENTIAL CONFLICTS WITH EXISTING SYMBOLOGY:

CONFORMANCE TO SYMBOL GUIDELINES:

ADEQUACY AND IMPACT ON OTHER PROGRAMS:

C/S/A COMMENTS

DECISION NOTICE

SSMC 3-01: Approved as amended. MIL00-14A amended by adding text to point out that width will be defined in meters. See parameters and graphic example above and the example of Table B-IV in attachment A.

Tasks:

1. Modify Figure B-17 to reflect new hierarchy structure (Figure B-17 becomes Figures B-17.1 and B-17.2) and addition of new Fire Support graphics.




Figure B-17.1. Fire Support.




Figure B-17.2. Fire support.

2. Modify Table B-III to reflect restructured hierarchy numbers, provide new symbol IDs for restructured graphics and addition of new graphics' hierarchy numbers and symbol IDs.

X.A.	HIERARCHY	CODE SCHEME	AFFILIATION	CATEGORY	STATUS		FUNCTION ID	SIZE/MOBILITY	COUNTRY CODE	ORDER OF BATTLE	DESCRIPTION	
2.X.4.1.1												
2.X.4.1.1		_	*									
2.X.4.1.1			*	_		-						
2.X.4.1.2		_	*									
Z.X.4.1.2			*									
2.X.4.1.2.1			*									
Z.X.4.1.2.2			*				F-	**	**			
Z.X.4.1.2.4 G			*		*			**	**			
2.X.4.1.2.5			*		*			**	**			
Z.X.4.1.2.5			*		*			**	**			
2.X.4.2.6 G			*		*			 **	**			
2.X.4.2.1 G			*		*			**	**			
2.X.4.2.1.1 G		_	*		*			**	**			
2.X.4.2.1.1 G			*		*			 **	**			
2.X.4.2.1.2		_	*		*			 **	**			
2.X.4.2.2			*		*			 **	**			
2.X.4.2.2.1			*		*			 **	**	X		
2.X.4.2.2.2		_	*		*			 **	**			
2.X.4.2.2.3		_	*		*			 **	**	X		
2.X.4.2.2.4 G * F * LC R- - *** X RESTRICTIVE FIRE LINE (RFL) 2.X.4.3 G * F * A- *** ** X AREAS 2.X.4.3.1.1 G * F * AT C- ** X X AREAT TARGET 2.X.4.3.1.2 G * F * AT C- ** X X AREAT TARGET 2.X.4.3.1.2 G * F * AT R- ** X X RECTANGULAR TARGET 2.X.4.3.1.1 G * F * AT S- ** X SERIES OR GROUP OF TARGETS 2.X.4.3.1.1 G * F * AT S- ** X SERIES OR GROUP OF TARGETS 2.X.4.3.2.1 G * F * AC **			*		*			 **	**			
2.X.4.3.1			*		*			**	**			
2.X.4.3.1 G * F * AT ** ** X AREA TARGET 2.X.4.3.1.1 G * F * AT R- ** ** X CIRCULAR TARGET 2.X.4.3.1.3 G * F * AT R- ** ** X SERIES OR GROUP OF TARGETS 2.X.4.3.1.4 G * F * AT S- ** ** X SERIES OR GROUP OF TARGETS 2.X.4.3.1.4 G * F * AT S- ** ** X SERIES OR GROUP OF TARGETS 2.X.4.3.1.5 G * F * AT B- ** X BOMB AREA 2.X.4.3.2.1 G * F * AC S- ** ** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.1.2 G * F * AC SR ** ** X FIRE			*		*			 **	**	Х		
2.X.4.3.1.1 G * F * AT C- *** *** X CIRCULAR TARGET 2.X.4.3.1.2 G * F * AT R- -*** *** X RECTANGULAR TARGET 2.X.4.3.1.3 G * F * AT G- *** X SERIES OR GROUP OF TARGETS 2.X.4.3.1.4 G * F * AT S- - *** X SERIES OR GROUP OF TARGETS 2.X.4.3.1.5 G * F * AT B- - *** X SMOKE 2.X.4.3.2.1 G * F * AC S- - ** X COMMAND AND CONTROL 2.X.4.3.2.1 G * F * AC S- - ** X FIRE SUPPORT AREA (FSA) 2.X.4.3.2.1.1 G * F * AC SR - ** ** X			*		*			 **	**			
2.X.4.3.1.2			*		*			**	**			
2.X.4.3.1.3 G * F * AT G			*		*			 **	**			
2.X.4.3.1.4 G * F * AT S			*	F	*			 **	**			
2.X.4.3.1.5 G * F * AT B- ** ** X BOMB AREA 2.X.4.3.2.1 G * F * AC ** X COMMAND AND CONTROL 2.X.4.3.2.1 G * F * AC S- ** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.1.1 G * F * AC SI ** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.2.2 G * F * AC SI *** X AIRSPACE COORDINATION AREA (ACA) 2.X.4.3.2.2.1 G * F * AC AI *** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.2.2 G * F * AC AI *** X AIRSPACE COORDINATION AREA (ACA), RECTANGULAR 2.X.4.3.2.3.1 G * F *			*		*			**	**	Х		
2.X.4.3.2 G * F * AC ** ** X COMMAND AND CONTROL 2.X.4.3.2.1 G * F * AC S- ** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.1.1 G * F * AC SI ** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.1.2 G * F * AC SR ** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.2.2 G * F * AC A- ** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.2.1 G * F * AC AR ** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.3.3 G * F * AC F- ** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.3.1 G *			*		*			 **	**			
2.X.4.3.2.1 G * F * AC S- ** ** X FIRE SUPPORT AREA (FSA) 2.X.4.3.2.1.1 G * F * AC SI *** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.1 G * F * AC A- *** X AIRSPACE COORDINATION AREA (ACA) 2.X.4.3.2.2.1 G * F * AC AI *** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.2.2 G * F * AC AR *** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.3.3 G * F * AC F ** X AIRSPACE COORDINATION AREA (ACA), RECTANGULAR 2.X.4.3.2.3.1 G * F * AC F ** X FREE FIRE AREA (FFA) 2.X.4.3.2.3.2.0 G * F *		_	*	F	*			 **	**			
2.X.4.3.2.1.1 G * F * AC SI ** ** X FIRE SUPPORT AREA (FSA), IRREGULAR 2.X.4.3.2.1.2 G * F * AC A- ** X FIRE SUPPORT AREA (FSA), RECTANGULAR 2.X.4.3.2.2.1 G * F * AC A- ** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.2.2 G * F * AC AR ** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.3.2 G * F * AC AR ** X AIRSPACE COORDINATION AREA (ACA), IRREGULAR 2.X.4.3.2.3.1 G * F * AC F- ** X FREE FIRE AREA (FFA), IRREGULAR 2.X.4.3.2.3.1 G * F * AC FI ** X FREE FIRE AREA (FFA), IRREGULAR 2.X.4.3.2.4.1 G * F * AC N- ** ** X<			*		*			**	**			
2.X.4.3.2.1.2			*	F	*			 **	**			
2.X.4.3.2.2			*	F	*			 **	**			
2.X.4.3.2.2.1			*		*			**	**			
RECTANGULAR	2.X.4.3.2.2.1	G	*	F	*			 **	**	Χ	AIRSPACE COORDINATION AREA (ACA),	
2.X.4.3.2.3	2.X.4.3.2.2.2	G	*	F	*	AC	AR	 **	**	X		
2.X.4.3.2.3.1 G * F * AC FI ** ** X FREE FIRE AREA (FFA), IRREGULAR 2.X.4.3.2.3.2 G * F * AC FR ** ** X FREE FIRE AREA (FFA), RECTANGULAR 2.X.4.3.2.4.1 G * F * AC NI ** ** X NO-FIRE AREA (NFA), IRREGULAR 2.X.4.3.2.4.2 G * F * AC NR ** ** X NO-FIRE AREA (NFA), RECTANGULAR 2.X.4.3.2.5 G * F * AC R- ** ** X RESTRICTIVE FIRE AREA (RFA) 2.X.4.3.2.5.1 G * F * AC RI ** ** X RESTRICTIVE FIRE AREA (RFA), IRREGULAR 2.X.4.3.2.5.2 G * F * AC RR ** ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC RR	2.X.4.3.2.3	G	*	F	*	AC	F-	 **	**	Χ		
2.X.4.3.2.3.2		G	*	F	*		FI	 **	**			
2.X.4.3.2.4 G * F * AC N- ** ** X NO-FIRE AREA (NFA) 2.X.4.3.2.4.1 G * F * AC NI ** ** X NO-FIRE AREA (NFA), IRREGULAR 2.X.4.3.2.4.2 G * F * AC NR ** ** X NO-FIRE AREA (NFA), RECTANGULAR 2.X.4.3.2.5 G * F * AC RI ** ** X RESTRICTIVE FIRE AREA (RFA), IRREGULAR 2.X.4.3.2.5.2 G * F * AC RR ** ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC RR ** ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC RR ** ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR			*	F	*			 **	**		\ //	
2.X.4.3.2.4.1 G * F * AC NI ** ** X NO-FIRE AREA (NFA), IRREGULAR 2.X.4.3.2.4.2 G * F * AC NR ** ** X NO-FIRE AREA (NFA), RECTANGULAR 2.X.4.3.2.5 G * F * AC RI ** ** X RESTRICTIVE FIRE AREA (RFA), IRREGULAR 2.X.4.3.2.5.2 G * F * AC RR ** ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC P- ** * X POSITION AREA FOR ARTILLERY (PAA)			*		*			**	**			
2.X.4.3.2.4.2 G * F * AC NR ** ** X NO-FIRE AREA (NFA), RECTANGULAR 2.X.4.3.2.5 G * F * AC R- ** X RESTRICTIVE FIRE AREA (RFA), IRREGULAR 2.X.4.3.2.5.2 G * F * AC RR ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC P- ** X POSITION AREA FOR ARTILLERY (PAA)		G	*	F	*		NI	 **	**			
2.X.4.3.2.5 G * F * AC R- ** * X RESTRICTIVE FIRE AREA (RFA) 2.X.4.3.2.5.1 G * F * AC RI ** X RESTRICTIVE FIRE AREA (RFA), IRREGULAR 2.X.4.3.2.5.2 G * F * AC RR ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC P- ** X POSITION AREA FOR ARTILLERY (PAA)		_	*		*			**	**			
2.X.4.3.2.5.1 G * F * AC RI ** ** X RESTRICTIVE FIRE AREA (RFA), IRREGULAR 2.X.4.3.2.5.2 G * F * AC RR ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC P- ** X POSITION AREA FOR ARTILLERY (PAA)			*		*			**	**			
2.X.4.3.2.5.2 G * F * AC RR ** * X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR 2.X.4.3.2.6 G * F * AC P- ** X POSITION AREA FOR ARTILLERY (PAA)			*		*			 **	**		` ,	
2.X.4.3.2.6 G * F * AC P ** ** X POSITION AREA FOR ARTILLERY (PAA)			*		*			**	**			
		_	*		*			**	**			
2.X.4.3.2.6.1	2.X.4.3.2.6.1	G	*	F	*	AC	PI	 **	**	Х	, ,	

HIERARCHY	CODE SCHEME	AFFILIATION	CATEGORY	STATUS		FUNCTION ID	SIZE/MOBILITY	COUNTRY CODE	ORDER OF BATTLE	DESCRIPTION	
									E	IRREGULAR	
2.X.4.3.3	G	*	F	*	ΑZ		 **	**	Χ	TARGET ACQUISITION ZONES	
2.X.4.3.3.1	G	*	F	*	AZ	I-	 **	**	X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE	
2.X.4.3.3.1.1	G	*	F	*	AZ	II	 **	**	X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, IRREGULAR	
2.X.4.3.3.1.2	G	*	F	*	AZ	IR	 **	**	Х	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, RECTANGULAR	
2.X.4.3.3.2	G	*	F	*	ΑZ	X-	 **	**	Χ	CALL FOR FIRE ZONE (CFFZ)	
2.X.4.3.3.2.1	G	*	F	*	AZ	ΧI	 **	**	Χ	CALL FOR FIRE ZONE (CFFZ), IRREGULAR	
2.X.4.3.3.2.2	G	*	F	*	ΑZ	XR	 **	**	Χ	CALL FOR FIRE ZONE (CFFZ), RECTANGULAR	
2.X.4.3.3.3	G	*	F	*	ΑZ	S-	 **	**	Χ	SENSOR ZONE	
2.X.4.3.3.3.1	G	*	F	*	AZ	SI	 **	**	Х	SENSOR ZONE, IRREGULAR	
2.X.4.3.3.3.2	G	*	F	*	ΑZ	SR	 **	**	Χ	SENSOR ZONE, RECTANGULAR	
2.X.4.3.3.4	G	*	F	*	AZ	C-	 **	**	Х		
2.X.4.3.3.4.1	G	*	F	*	AZ	CI	 **	**	X		
2.X.4.3.3.4.2	G	*	F	*	AZ	CR	 **	**	X		
2.X.4.3.3.5	G	*	F	*	AZ	D-	 **	**	Х	DEAD SPACE AREA (DA)	
2.X.4.3.3.5.1	G	^	F	*	AZ	DI	 **	**	Х	DEAD SPACE AREA (DA), IRREGULAR	
2.X.4.3.3.5.2	G		F	*	AZ AZ	DR F-	 **	**	X	DEAD SPACE AREA (DA), RECTANGULAR	
2.X.4.3.3.6 2.X.4.3.3.6.1	G	*	F	*	AZ	FI	 **	**	X	CRITICAL FRIENDLY ZONE (CFZ)	
2.X.4.3.3.6.1 2.X.4.3.3.6.2	G	*	F	*	AZ	FR	 **	**	X	CRITICAL FRIENDLY ZONE (CFZ), IRREGULAR CRITICAL FRIENDLY ZONE (CFZ), RECTANGULAR	
2.X.4.3.3.7	G	*	F	*	AZ	Z-	 **	**	X	ZONE OF RESPONSIBILITY (ZOR)	
2.X.4.3.3.7.1	G	*	F	*	AZ	<u>Z-</u> ZI	 **	**	X	ZONE OF RESPONSIBILITY (ZOR), IRREGULAR	
2.X.4.3.3.7.1 2.X.4.3.3.7.2	G	*	F	*	AZ	ZR	 **	**	X	ZONE OF RESPONSIBILITY (ZOR), RECTANGULAR	
2.X.4.3.3.8	G	*	F	*	AZ	B-	 **	**	X	TARGET BUILD-UP AREA (TBA)	
2.X.4.3.3.8.1	G	*	F	*	AZ	BI	 **	**	X	TARGET BUILD-UP AREA (TBA), IRREGULAR	
2.X.4.3.3.8.2	G	*	F	*	AZ	BR	 **	**	X	TARGET BUILD-UP AREA (TBA), RECTANGULAR	
2.X.4.3.3.9	G	*	F	*	AZ	V-	 **	**	X	TARGET VALUE AREA (TVAR)	
2.X.4.3.3.9.1	G	*	F	*	AZ	VI	 **	**	X	TARGET VALUE AREA (TVAR), IRREGULAR	
2.X.4.3.3.9.2	G	*	F	*	AZ	VR	 **	**	Х	TARGET VALUE AREA (TVAR), RECTANGULAR	
2.X.4.3.4	G	*	F	*	AX		 **	**	X	WEAPON/RADAR RANGE FAN	
2.X.4.3.4.1	G	*	F	*	AX	C-	 **	**	Х	WEAPON/RADAR RANGE FAN, CIRCULAR	
2.X.4.3.4.2	G	*	F	*	AX	S-	 **	**	Х	WEAPON/RADAR RANGE FAN, SECTOR	

3. Modify and amend Table B-IV as needed to agree with Figure B-17.1, B-17.2 and Table B-III as shown above.

DESCRIPTION	STATIC/ DYNAMIC	HIERARCHY SYM-ID	TACTICAL GRAPHIC
FIRE SUPPORT AREAS COMMAND AND CONTROL AIRSPACE COORDINATION AREA (ACA)	N/A	2.X.4.3.2.2	
FIRE SUPPORT AREAS COMMAND AND CONTROL AIRSPACE COORDINATION AREA (ACA) IRREGULAR Parameters 1. Anchor points. This graphic requires at least three anchor points to define the boundary of the area. Add as many points as necessary to accurately reflect the area's size and shape 2. Size/Shape. Determined by the anchor points. The information fields should be moveable and scalable as a block within the area. 3. Orientation. Not applicable.	D	2.X.4.3.2.2.1 G*FPACAI ****X Example	ACA T MIN ALT: H MAX ALT: HI Grids H2 EFF: W ACA S3ID (M) MIN ALT: 500 MAX ALT: 3000 Grids NK2313 to NK 3013 to NK2321 to NK3022 EFF: 281400ZAPR 281530ZAPR
FIRE SUPPORT AREAS COMMAND AND CONTROL AIRSPACE COORDINATION AREA (ACA) RECTANGULAR Parameters 1. Anchor Points. This graphic requires two anchor points and a width, defined in meters, to define the boundary of the area. Points 1 and 2 will be located in the center of two opposing sides of the rectangle. 2. Size/Shape. Size: As determined by the anchor points. The anchor points determine the length of the rectangle. The width, defined in meters, will determine the width of the rectangle. Shape: Rectangle. The information fields should be moveable and scaleable. 3. Orientation. As determined by the anchor points.	D	2.X.4.3.2.2.2 G*FPACAR ****X Example	ACA T MIN ALT: H MAX ALT: H1 PT. 1 Grids H2 PT. 2 FF: W1 ACA 53ID (M) MIN ALT: 500 MAX ALT: 5000 Grids NK2313 to NK3013 to NK2320 to NK3022 EFF: 281400ZAPR- 281530ZAPR